Polymer Bulletin

© Springer-Verlag 1991

Author Index Volume 25 (1991)

Abd-Alla MA, El-Zohry MF, Osman MA: Arylidene polymers. I 287
Abe T see Kawakami Y
Acosta JL see Morales E
Andersson H see Jonsson H
Andrade CT see Visconte LLY
Armand M see Callens S
Asada T see Yamaguchi T
Asai S see Sumita M
Asanuma T, Nishimori Y, Ito M, Uchikawa N, Shiomura T: Preparation of syndiotactic polyolefins by using metallocene catalysts 567
Azuma C see Visconte LLY

Baba Y see Oka M
Baloch MK: Unperturbed chain dimensions of polyisobutylene in different solvents and at different temperatures 245
Barson CA, Bevington JC, Huckerby TN: Reactivities towards the benzoyloxy radical of some acetylenic compounds when used in the polymerization of methyl methacrylate 83
Barton JM, Greenfield DCL, Hamerton I, Jones JR: A study of the cyclotrimerization and polymerization of aryl cyanates using ^{13}C and ^{15}N NMR spectroscopy, FTIR spectroscopy and DSC 75
Baskaran D see Sivaram S
Bello A see Pérez E
Benavente R see Pérez E
Bevington JC see Barson CA
Boegeman S see Uhrich KE
Bothe H see Gosau JM
Buyle Padias A see Li T

Callens S, Le Nest JF, Gandini A, Armand M: A novel solid polymer electrolyte: synthesis and characterization 443
Cantow HJ see Magonov SN
Cárdenas-Triviño G, Retamal C, Klabunde KJ: Synthesis and molecular weights of metal poly(methyl methacrylates) 315
Chew CH see Gan LM
Cho WJ see Ha CS
Choi HY see Ha CS
Chong YF see Goh SH
Chujo Y, Tomita I, Hashiguchi Y, Saegusa T: Reactions of organoboron polymers prepared by hydroboration polymerization. II 1

DasGupta AM, David DJ, Misra A: Modification of polyvinyl butyral rheological properties via blending with ionomeric polyvinyl butyral 657
David DJ see DasGupta AM
de Lucca Freitas LL see Rösch J
Deffieux A see Heroguez V
Dezhenkova LG see Polyakov VI
Diaz FR see Tagle LH
Dušek K see Williams RJJ

El-Tonsy MM, Shaban AM, Fouda IM: Study of mass redistribution associated with the drawing process of polypropylene fibers 507
El-Zohry MF see Abd-Alla MA
Elings V see Magonov SN
Ellis G, Gómez MA, Marco C, Fatou JG, Haddon RC: Raman spectroscopic study of a substituted poly(phosphazene) 351

Fang TR, Xu GF, Xu SX: Water-soluble and amphiphilic polymers. 6. A study on the surface composition of cast films of PSt/PMMA and PEO-PSt-PEO block polymers by XPS 459
Fang TR, Zhu XB: Water-soluble and amphiphilic polymers. 7. Synthesis and characterization of a novel comb-like amphiphilic polymer $PAMC_{16}S$ 467
Farona MF see Johnston JA
Fatou JG see Ellis G
Feast WJ, Harrison DB: Poly(2,5(3,4-bis(methoxymethyl)-furanylene)vinylene)s prepared by aqueous ring opening metathesis polymerization 343
Fedtke M see Moszner N
Fillon B see Lotz B
Fouda IM see El-Tonsy MM
Fréchet JMJ see Stöver HDH
Fréchet JMJ see Uhrich KE
Fujimoto N see Kitayama T
Fujiwara H, Goto K: Mechanochemical polymerization in mixtures of diallyl terephthalate and distilled water by ultrasonic irradiation 571

Galogaža V see Popović IG
Gan LM, Chew CH, Lye I, Imae T: Microemulsion polymerization of styrene 193
Gandini A see Callens S
Gedde UW see Jonsson H
Gibson HW see Pandya A
Goh SH, Lee SY, Chong YF: Miscibility of poly(methoxymethyl methacrylate) and poly(methylthiomethyl methacrylate) with poly(vinylidene fluoride) 257
Gosau JM, Bothe H, Schlüter AD: Copolymers from [1.1.1]propellanes and acceptor-substituted olefins 293
Goto K see Fujiwara H
Greenfield DCL see Barton JM
Grijpma DW, Zondervan GJ, Pennings AJ: High molecular weight copolymers of L-lactide and ε-caprolactone copolymers 327
Grijpma DW, Pennings AJ: Polymerization temperature effects on the properties of L-lactide and ε-caprolactone copolymers 335
Gu JT, Wang CS: HPLC analysis of tetrabromobisphenol-A polycarbonate oligomers: its application in interfacial phosgenation reaction 583
Guistina RA, Hall HK Jr: On the synthesis of methacryloyloxy-acetic acid 71

Ha CS, Choi HY, Cho WJ: Synthesis of nylon 6-g-poly(ethylene glycol) copolymer and its compatibilizing effect in nylon 6/poly(ethylene glycol) blends 185
Haddon RC see Ellis G
Hall Jr HK see Guistina RA
Hall Jr HK see Li T
Hallensleben ML see Thielen G
Hamerton I see Barton JM
Harrison DB see Feast WJ
Hashiguchi Y see Chujo Y

Polymer Bulletin

© Springer-Verlag 1991

Author Index Volume 25 (1991)

Abd-Alla MA, El-Zohry MF, Osman MA: Arylidene polymers. I 287
Abe T see Kawakami Y
Acosta JL see Morales E
Andersson H see Jonsson H
Andrade CT see Visconte LLY
Armand M see Callens S
Asada T see Yamaguchi T
Asai S see Sumita M
Asanuma T, Nishimori Y, Ito M, Uchikawa N, Shiomura T: Preparation of syndiotactic polyolefins by using metallocene catalysts 567
Azuma C see Visconte LLY

Baba Y see Oka M
Baloch MK: Unperturbed chain dimensions of polyisobutylene in different solvents and at different temperatures 245
Barson CA, Bevington JC, Huckerby TN: Reactivities towards the benzoyloxy radical of some acetylenic compounds when used in the polymerization of methyl methacrylate 83
Barton JM, Greenfield DCL, Hamerton I, Jones JR: A study of the cyclotrimerization and polymerization of aryl cyanates using ^{13}C and ^{15}N NMR spectroscopy, FTIR spectroscopy and DSC 75
Baskaran D see Sivaram S
Bello A see Pérez E
Benavente R see Pérez E
Bevington JC see Barson CA
Boegeman S see Uhrich KE
Bothe H see Gosau JM
Buyle Padias A see Li T

Callens S, Le Nest JF, Gandini A, Armand M: A novel solid polymer electrolyte: synthesis and characterization 443
Cantow HJ see Magonov SN
Cárdenas-Triviño G, Retamal C, Klabunde KJ: Synthesis and molecular weights of metal poly(methyl methacrylates) 315
Chew CH see Gan LM
Cho WJ see Ha CS
Choi HY see Ha CS
Chong YF see Goh SH
Chujo Y, Tomita I, Hashiguchi Y, Saegusa T: Reactions of organoboron polymers prepared by hydroboration polymerization. II 1

DasGupta AM, David DJ, Misra A: Modification of polyvinyl butyral rheological properties via blending with ionomeric polyvinyl butyral 657
David DJ see DasGupta AM
de Lucca Freitas LL see Rösch J
Deffieux A see Heroguez V
Dezhenkova LG see Polyakov VI
Diaz FR see Tagle LH
Dušek K see Williams RJJ

El-Tonsy MM, Shaban AM, Fouda IM: Study of mass redistribution associated with the drawing process of polypropylene fibers 507
El-Zohry MF see Abd-Alla MA
Elings V see Magonov SN
Ellis G, Gómez MA, Marco C, Fatou JG, Haddon RC: Raman spectroscopic study of a substituted poly(phosphazene) 351

Fang TR, Xu GF, Xu SX: Water-soluble and amphiphilic polymers. 6. A study on the surface composition of cast films of PSt/PMMA and PEO-PSt-PEO block polymers by XPS 459
Fang TR, Zhu XB: Water-soluble and amphiphilic polymers. 7. Synthesis and characterization of a novel comb-like amphiphilic polymer $PAMC_{16}S$ 467
Farona MF see Johnston JA
Fatou JG see Ellis G
Feast WJ, Harrison DB: Poly(2,5(3,4-bis(methoxymethyl)-furanylene)vinylene)s prepared by aqueous ring opening metathesis polymerization 343
Fedtke M see Moszner N
Fillon B see Lotz B
Fouda IM see El-Tonsy MM
Fréchet JMJ see Stöver HDH
Fréchet JMJ see Uhrich KE
Fujimoto N see Kitayama T
Fujiwara H, Goto K: Mechanochemical polymerization in mixtures of diallyl terephthalate and distilled water by ultrasonic irradiation 571

Galogaža V see Popović IG
Gan LM, Chew CH, Lye I, Imae T: Microemulsion polymerization of styrene 193
Gandini A see Callens S
Gedde UW see Jonsson H
Gibson HW see Pandya A
Goh SH, Lee SY, Chong YF: Miscibility of poly(methoxymethyl methacrylate) and poly(methylthiomethyl methacrylate) with poly(vinylidene fluoride) 257
Gosau JM, Bothe H, Schlüter AD: Copolymers from [1.1.1]propellanes and acceptor-substituted olefins 293
Goto K see Fujiwara H
Greenfield DCL see Barton JM
Grijpma DW, Zondervan GJ, Pennings AJ: High molecular weight copolymers of L-lactide and ε-caprolactone copolymers 327
Grijpma DW, Pennings AJ: Polymerization temperature effects on the properties of L-lactide and ε-caprolactone copolymers 335
Gu JT, Wang CS: HPLC analysis of tetrabromobisphenol-A polycarbonate oligomers: its application in interfacial phosgenation reaction 583
Guistina RA, Hall HK Jr: On the synthesis of methacryloyloxy-acetic acid 71

Ha CS, Choi HY, Cho WJ: Synthesis of nylon 6-g-poly(ethylene glycol) copolymer and its compatibilizing effect in nylon 6/poly(ethylene glycol) blends 185
Haddon RC see Ellis G
Hall Jr HK see Guistina RA
Hall Jr HK see Li T
Hallensleben ML see Thielen G
Hamerton I see Barton JM
Harrison DB see Feast WJ
Hashiguchi Y see Chujo Y

Hashimoto H, Kishiro S, Hatada K: Stereoregular polymerization of polyisobutylene macromonomer having methacryloyl function 153
Hatada K see Hashimoto H
Hatada K see Kitayama T
Hatada K see Okamoto Y
Heck J see Percec V
Hedrick JL: Poly(aryl ether oxadiazoles) 543
Heinemann K see Moszner N
Heroguez V, Schappacher M, Papon E, Deffieux A: Synthesis and characterization of poly(vinylether)s with pendant mesogenic groups 307
Herrero CR see Morales E
Higashimura T see Shohi H
Hsieh BR: Synthesis of poly(phenylene acetylene) from poly(phenylene vinylene) 177
Hsu CS, Lu YH: Synthesis and mesomorphic behavior of poly(methylsiloxane)s containing *trans*-cyclohexane-based mesogenic side groups 169
Huang YH see Song M
Huckerby TN see Barson CA
Hult A see Jonsson H

Imae T see Gan LM
Inagaki N, Tasaka S, Kobayashi M: Application of plasma films prepared from manganese acetylacetonate for CO gas sensor device 273
Ito M see Asanuma T
Iwamoto Y see Yamaguchi T

Jang J, Shim JS: Spectroscopic studies of epoxy resin coating on imidazole copolymer treated copper surfaces 677
Jang J see Shim JS
Jiang BZ see Song M
Jiang M see Li T
Johnston JA, Farona MF: Homopolymerization of cyclic olefins by a molybdenum olefin metathesis catalyst 625
Jones JR see Barton JM
Jonsson H, Percec V, Hult A: Molecular engineering of liquid crystal polymers by living polymerization. 4 115
Jonsson H, Sundell PE, Percec V, Gedde UW, Hult A: Cationic bulk polymerization of mesogenic vinyl ethers induced by thermal decomposition of sulfonium salts 549
Jonsson H, Andersson H, Sundell PE, Gedde UW, Hult A: Photoinitiated cationic bulk polymerization of mesogenic vinyl ethers 641

Kagemoto A see Oka M
Kato EI see Yamada BC
Katsikas L see Popović IG
Kawakami Y, Saibara S, Suzuki F, Abe T, Yamashita Y: Synthesis of dicarboxylic acid functionalized polysiloxane macromers 521
Kawakami Y, Takahashi K: Smectic liquid crystalline polyoxetane with novel mesogenic group 439
Kennedy JP see Nemes S
Kishiro S see Hashimoto H
Kishiro S see Kitayama T
Kitayama T, Kishiro S, Masuda E, Hatada K: End-group analysis of polymacromonomer formed in the radical polymerization of styrene-type PMMA macromonomers by using ^2H NMR spectroscopy 205
Kitayama T, Ute K, Yamamoto M, Fujimoto N, Hatada K: ^1H-NMR spectroscopic differentiation of block copolymer, random copolymer and mixture of the corresponding homopolymers through end group and monomer sequence analyses 683
Klabunde KJ see Cárdenas-Triviño G
Ko YH see Liao XG
Kobatake S see Yamada BC
Kobayashi H see Okamoto Y
Kobayashi M see Inagaki N
Künzler J see Percec V

Lagcher R see Penning JP
Le Nest JF see Callens S
Lee M see Percec V
Lee SY see Goh SH
Lee W see Shim JS
Li T, Buyle Padias A, Hall Jr HK: Diradical polymerization of styrene initiated by ethyl 1-cyano-2-(*p*-methoxyphenyl)-cyclo-propanecarboxylate with $ZnCl_2$ 537
Li T, Zhou C, Jiang M: UV absorption spectra of polystyrene 211
Li ZS see Tang AC
Liao XG, Ko YH, Manuel G, Weber WP: Synthesis and microstructure of poly(1-phenyl-1-sila-*cis*-pent-3-ene) 63
Liao XG, Weber WP: Synthesis of poly(1-methyl-1-phenyl-1-silapentane) by chemical reduction of poly(1-methyl-1-phenyl-1-sila-*cis*-pent-3-ene) with diimide. Characterization and chemical modification of poly(1-methyl-1-phenyl-1-silapentane) 621
Liao ZK see Wang CS
Liu HF see Wang Y
Lotz B, Fillon B, Thierry A, Wittmann JC: Low T_c growth transitions in isotactic polypropylene: β to α and α to smectic phases 101
Lu YH see Hsu CS
Lü PZ see Stöver HDH
Lye I see Gan LM

Magonov SN, Vainilovitch IS, Sheiko SS: FTIR spectroscopy of polymer films under uniaxial stretching. 1. Atactic polystyrene 491
Magonov SN, Qvarnström K, Elings V, Cantow HJ: Atomic force microscopy on polymers and polymer related compounds. 1. Cold-extruded polyethylene 689
Magonov SN see Sheiko SS
Makhaeva EE see Starodoubtsev SG
Manuel G see Liao XG
Marco C see Ellis G
Margozzini C see Tagle LH
Marossy K: Thermally stimulated discharge current (TSD) study on PVC-CPE blends 385
Marugán MM see Pérez E
Masuda E see Kitayama T
Mattice WL see Rodrigues K
Mendoza A see Wang CS
Minagawa T see Moriya K
Misra A see DasGupta AM
Miyasaka K see Sumita M
Morales E, Herrero CR, Acosta JL: Effect of sepiolite on glass transition temperature and melting behavior of semicrystalline polymer blends 391
Moriya K, Minagawa T, Yano S: Phase transition in polyamides 591
Moszner N, Heinemann K, Fedtke M: Synthesis and polymerization of unsaturated derivatives of halogenated phenols 299

Nakagawa H see Sumita M
Nakajima A see Oka M
Nakamura N see Yamaguchi T
Nakano T see Okamoto Y
Nemes S, Pernecker T, Kennedy JP: Macromers by carbocationic polymerization. XI. Vinyl ether terminated polyisobutylenes 633
Nishimori Y see Asanuma T

Oka M, Baba Y, Kagemoto A, Nakajima A: Theoretical conformational analysis of poly(val-pro-gly-gly) with *cis* peptide bond at val-pro portion 87
Oka M, Baba Y, Kagemoto A, Nakajima A: Theoretical conformational analysis on elastin analogue tetrapeptide Ac-Ala-Pro-Gly-Gly-NHMe 701
Okamoto Y, Nakano T, Kobayashi H, Hatada K: Asymmetric polymerization of *N*-phenylmaleimide 5
Osman MA see Abd-Alla MA
Otsu T see Yang JZ

Pandya A, Gibson HW: Polymers from Reissert compounds. 7 (1) Novel thermoplastic polyamine derivatives from acyclic Reissert compounds 17
Papon E see Heroguez V
Paul D see Schwarz HH
Penning JP, Lagcher R, Pennings AJ: The effect of diameter on the mechanical properties of amorphous carbon fibers from linear low density polyethylene 405
Pennings AJ see Grijpma DW
Pennings AJ see Penning JP
Pennings AJ see van der Werff H
Percec V, Künzler J: Monitoring the $WCl_6/(CH_3)_4Sn$ initiated polymerization of substituted acetylenes by ^{1}H-NMR spectroscopy 483
Percec V, Heck J: Liquid crystalline polymers containing mesogenic units based on half-disc and rod-like moieties. 4. Side chain liquid crystalline polymethylsiloxanes containing hemiphasmidic mesogens based on 4-[3,4,5-tri-(alkan-1-yloxy)-benzoate]biphenyl groups 431
Percec V, Lee M: Molecular engineering of liquid crystal polymers by living polymerization. 7 131
Percec V, Lee M: Molecular engineering of liquid crystal polymers by living polymerization. 6 123
Percec V, Heck J: Liquid crystalline polymers containing mesogenic units based on half-disc and rod-like moieties. 3 55
Percec V, Wang JH: Synthesis and characterization of polyacrylonitrile grafted with poly(2,6-dimethyl-1,4-phenylene oxide) 41
Percec V, Zuber M: Liquid crystalline polyethers based on conformational isomerism. 17. Some considerations on the rigidity of rod-like mesogens 695
Percec V, Wang JH: Synthesis of aromatic polyethers by Scholl reaction. III 9
Percec V see Jonsson H
Percec V see Rodenhouse R
Percec V see Wang JH
Pereña JM see Pérez E
Pérez E, Benavente R, Marugán MM, Bello A, Pereña JM: Solubility of thermotropic polybibenzoates with oxyethylene spacers 13
Pernecker T see Nemes S
Polyakov VI, Dezhenkova LG, Vainerman ES: An approach to determine the second virial coefficient for calculation of phase equilibria in water-protein-neutral polymer systems 709
Popović IG, Galogaža V, Katsikas L, Veličkovič J: The thermal stability of some poly(di-aryl itaconates) 107

Qvarnström K see Magonov SN

Retamal C see Cárdenas-Triviño G
Riccardi CC see Williams RJJ
Richau K see Schwarz HH
Rodenhouse R, Percec V: Liquid crystal polymers containing macroheterocyclic ligands. 8 47
Rodrigues K, Mattice WL: Micelles and networks formed by symmetric triblock copolymers in dilute solutions that are poor solvents for the terminal blocks 239
Rösch J, de Lucca Freitas LL, Stadler R: Dynamic mechanical properties of semi-interpenetrating networks based on poly(styrene-co-maleic anhydride). 2 397

Saegusa T see Chujo Y
Saibara S see Kawakami Y
Sakata K see Sumita M
Sawamoto M see Shohi H
Schappacher M see Heroguez V
Schlüter AD see Gosau JM
Schuster RH see Thielen G
Schwarz HH, Richau K, Paul D: Membranes from polyelectrolyte complexes 95
Shaban AM see El-Tonsy MM
Sheiko SS, Vainilovitch IS, Magonov SN: FTIR spectroscopy of polymer films under uniaxial stretching. 2. Amorphous and semicrystalline poly(ethyleneterephthalate) 499
Sheiko SS see Magonov SN
Shim JS, Lee W, Jang J: Cure kinetics of high performance epoxy resin. Reaction with HPT curing agent from dynamic experiment 669
Shim JS, Lee W, Jang J: Cure kinetics of high performance epoxy resin systems. Reaction with 4,4′-diamino diphenyl sulfone (DDS) 661
Shim JS see Jang J
Shiomura T see Asanuma T
Shohi H, Sawamoto M, Higashimura T: Tri-armed star polymers by living cationic polymerization. 2. Synthesis of tri-armed amphiphilic block copolymers of isobutyl and 2-hydroxyethyl vinyl ethers 529
Simon G: The effect of carbon black filling and cross-linking in stretched SBR networks: a ^{2}H-NMR study 365
Sivaram S, Dhal PK, Kashikar SP, Khisti RS, Shinde BM, Baskaran D: Approaches to controlled polymerization of methyl acrylate through functional anionic initiators 77
Song M, Huang YH, Sun ZH, Jiang BZ: Fractal behavior of spinodal decomposition in polymer blends 515
Stadler R see Rösch J
Stannett VT see Wood KB
Starodoubtsev SG, Khokhlov AR, Makhaeva EE: Electro-osmotic transport of water in polyelectrolyte networks 373
Stonich DA, Weber WP: Ring opening metathesis polymerization of 1,1-Diphenyi-1-silacyclopent-3-ene 629
Stöver HDH, Lú PZ, Frchet JMJ: Polymeric reagents: Preparation and characterization of novel solid-phase silylating agents derived from copolymers containing 4-[3′-(dimethyl phenyl silyl)-propyl]-styrene 575
Sumita M, Sakata K, Åsai S, Miyasaka K, Nakagawa H: Dispersion of fillers and the electrical conductivity of polymer blends filled with carbon black 265
Sun CC see Tang AC
Sun ZH see Song M
Sundell PE see Jonsson H
Suzuki F see Kawakami Y

Tagle LH, Diaz FR, Margozzini C: Polymerization by phase transfer catalysis. 10 319
Takahashi K see Kawakami Y
Takayuki O see Yamada BC
Tang AC, Li ZS, Sun CC, Tang XY: On the polycondensation reaction of A_x-B_yC_z type 225
Tang XY see Tang AC
Tasaka S see Inagaki N
Thielen G, Hallensleben ML, Schuster RH, Wurm H: Model processing agents for rubber manufacturing. 1. Synthesis and characterization of oligomers with different aromatic and cycloaliphatic substituents 451
Thierry A see Lotz B
Tomita I see Chujo Y
Tung IC: Application of factional design to SMC viscosity build-up 603

Tung IC: On the J-integral blunting line applied to linear amorphous polymers 253
Turner SR see Uhrich KE

Uchikawa N see Asanuma T
Uhrich KE, Boegeman S, Fréchet JMJ, Turner SR: The solid-phase synthesis of dendritic polyamides 551
Ute K see Kitayama T

Vainerman ES see Polyakov VI
Vainilovitch IS see Magonov SN
Vainilovitch IS see Sheiko SS
van der Werff H, Pennings AJ: Creep resistance and high temperature strength of poly(*p*-xylylene) fibers 379
Veličković J see Popović IG
Visconte LLY, Andrade CT, Azuma C: Photosensitivity of modified natural polyisoprenes as function of the aliphatic side chain 217

Wang CS, Liao ZK: Synthesis of high purity *o*-cresol formaldehyd Novolac epoxy resins 559
Wang CS, Mendoza A: 2,6-Dibromo-3,5-dimethyl-4-hydroxybenzyl ether and epoxy systems 279
Wang CS see Gu JT
Wang JH see Percec V
Wang JH, Percec V: Phase transfer catalyzed polymerization of 4-hydroxy-3,5-dimethylbenzyl alcohol and copolymerization of 4-bromo-2,6-dimethylphenol with 4-hydroxy-3,5-dimethylbenzyl alcohol 25
Wang JH, Percec V: Phase transfer catalyzed polymerization of 4-bromo-2,6-dimethylphenol in the presence of a terminating comonomer phenol: 2,4,6-tri-*tert*-butylphenol or 4-bromo-2,6-di-*tert*-butylphenol 33
Wang Y, Liu HF: Preparation and immobilization of polymer-protected bimetallic colloids 139
Weber WP see Stonich DA
Weber WP see Liao XG
Williams RJJ, Riccardi CC, Dušek K: Build-up of polymer networks by initiated polyreactions. 5 231
Wippler C: Low frequency viscosities of PS/PMMA/PS-b-PMMA blends 357
Wittmann JC see Lotz B
Wood KB, Stannett VT: Chain transfer and molecular weight in the ionizing radiation initiated cationic polymerization of styrene derivatives 199
Wurm H see Thielen G

Xu GF see Fang TR
Xu SX see Fang TR

Yamada BC, Kato EI, Kobatake S, Takayuki O: Preparation of poly(methyl metharylate) macromonomer by radical polymerization in the presence of methyl α-(bromo-methyl)-acrylate and copolymerization of the resultant macromonomer 423
Yamaguchi T, Asada T, Nakamura N: Phase transition and the packing structure of the side mesogenic groups of liquid crystalline side-chain copolymers 597
Yamaguchi T, Iwamoto Y, Asada T: Dynamic viscoelastic behavior of cholesteric liquid crystalline side-chain copolymers 611
Yamamoto M see Kitayama T
Yamashita Y see Kawakami Y
Yang JZ, Otsu T: Radical high polymerization of β-monoalkyl itaconates and characterization of the resulting polymers 145
Yano S see Moriya K

Zhou C see Li T
Zhu XB see Fang TR
Zondervan GJ see Grijpma DW
Zuber M see Percec V

Indexed in *Current Contents*

Subject Index Volume 25 (1991)

Acetylenes, substituted 483
Acetylenic compounds, benzoyloxy radical capturing 83
Acrylonitrile 41
Acyclic bis(Reissert compounds) 17
Amorphous carbon fibers 405
– polymers, crazes of linear 253
Amphiphilic block copolymers, tri-armed 529
– polymers 459, 467
Aryl cyanates, cyclotrimerization 475
Arylidene polymers 287
Aryloxy-s-triazines 475
Asymmetric polymerization, cyclic olefins 5
Atactic polystyrene 491
Atomic force microscopy, polymers, cold-extruded polyethylene 689

Benzoyloxy radical capturing 83
Bimetallic sol catalyst 139
Biocompatibility, polyphosphazenes 351
Biodegradable elastomeric implants 327
Blends, filled with carbon black 265
–, semicrystalline polymer 391
–, spheroidal particles 357
–, spinodal decomposition 515
Block copolymer, ^{1}H-NMR spectroscopic differentiation 683
– –, PSt/PMAA and PEO-PSt-PEO 459
– –, tri- 239
Brominated films 177
– resins 279
4-Bromo-2,6-di-*tert*-butylphenol 33

4-Bromo-2,6-dimethylphenol 25, 33
Bromomethylacrylate 423

ε-Caprolactone/L-lactide copolymer 327, 335
Carbocationic polymerization, macromers 633
Carbon fibers, amorphous 405
Carbon black, dispersion state 265
– –, filling 365
Cationic polymerization, ionizing radiation induced 199
Chain transfer, styrene derivatives, ionizing radiation 199
4-Chloro-*m*-cresol 299
4-Chloro-*m*-cresyl methacrylate 299
CO gas sensor device 273
Colloidal metals 315
Colloids, polymer-protected bimetallic 139
Compatibilization by fillers 391
Conductivity, composites 265
–, doped conjugated organic polymers 287
–, electrical 265
–, ionic 443
Controlled polymerization, methyl acrylate 77
Copolyconjugated polymers, cycloalkanone rings 287
Copolymethylsiloxanes 55
Copper surfaces, imidazole copolymer treated 677
Creep resistance, poly(*p*-xylylene) fibers 379
o-Cresolformaldehyd Novolac epoxy resins 559
Cresolnovolac epoxy resin 279
Crown ethers 153
Curing theory, polycondensation reaction 225
Cyanate ester resins 475
2-[(4-Cyano-4′-biphenyl)oxy]ethyl vinyl ether 123
8-[(4-Cyano-4′-biphenyl)oxy]octyl vinyl ether 123
Cyclic olefins, homopolymerization 625
– –, polymerization 483
Cyclohexanone 287
Cyclopentanone 287
Cyclopolymerization, poly(crown ether)s 153

Dendritic polyamides 551
1,5-Di(1-naphthoxy) pentane, polymerizability 9
4,4′-Di(1-naphthoxy)diphenyl sulfone, polymerizability 9
Diallyl terephthalate/distilled water, ultrasonic irradiation 571
4,4′-Diamino diphenyl sulfone (DDS) 661
Dibenzo-19-crown-6 153
2,6-Dibromo-3,5-dimethyl-4-hydroxybenzyl ether 279
Diepoxide, cyclopolymerization 153
4-[3′-(Dimethyl phenyl silyl)-propyl]-styrene 575
Diphenols, chlorinated aromatic side groups 319
1,1-Diphenyl-1-silacyclopent-3-ene 629
Diphenylacetylene 83
1,4-Diphenylbutadiyne 83
4,4′-Diphenylmethanediamine 397
Diradical polymerization 537
Drawing, polypropylene fibers 507

Elastin analogue tetrapeptide Ac-Ala-Pro-Gly-Gly-NHMe 701
–, model polypeptide 87
Elastomeric biomaterials 327
Elastomers, stretched deuterated 365
–, thermoplastic 335
Electrolytes, polyether-based solid 443
–, polymer 443
Electronic encapsulation 279
Encapsulation, electronic 279
Epoxy resins, cure kinetics of high performance 669
– – coating, imidazole copolymer treated Cu surface 677
– – systems, cure kinetics 661
Ethyl-1-cyano-2-(*p*-methoxyphenyl)cyclopropanecarboxylate 537

Fibers, density 507
Fillers, compatibilization 391
Films, brominated 177
–, plasma 273
–, polymer 467, 491, 499
Fractal behavior, spinodal phase separation 515
FTIR 491, 499

Gels, polyelectrolyte 373
Graft copolymers 41
– –, nylon 6/poly(ethylene glycol) 185
Graphite fibers 405

Halogenated phenols 299
Hemiphasmidic liquid crystals 431
– monomers 55
High-temperature strength, poly(*p*-xylylene) fibers 379
Homopolymerization, anionic 5
–, phase transfer catalyzed 25
HPT curing agent, epoxy resins 669
Hydroboration polymerization 1
Hydrosilation reaction 63
4-Hydroxy-3,5-dimethylbenzyl alcohol 25
2-Hydroxyethyl vinyl ethers 529

Implants, elastomeric 327
Ionic conductivity 443
Isoquinoline Reissert compound 17
Isotactic polypropylene 101
Itaconates, β-monoalkyl, radical polymerization 145
Itaconates, poly(di-aryl) 107

J-integral blunting line, linear amorphous polymers 253

L-Lactide/ε-caprolactone copolymer 327, 335
Langmuir-Blodgett films 467
Liquid crystalline polymers 431
–, macroheterocyclic ligands 47
–, main-chain 413
–, mesogenic units 55
–, molecular engineering 115, 123, 131
–, poly(methylsiloxane)s 169
–, side-chain 307
–, side-chain copolymers, cholesteric 611
–, – – –, side mesogenic groups 597
–, smectic 439
Linear amorphous polymers, J-integral blunting line 253
LLDPE 405

Macroheterocyclic ligands 47
Macromers, carbocationic polymerization 633
Macromonomers, poly(methyl methacryiate) 423
–, polyisobutylene 161
–, styrene-type PMMA 205
Manganese acetylacetonate, plasma polymerization 273
Membranes, polyelectrolyte complexes 95
Mesogenic groups, 4′-cyano-4-oxy-biphenyl 307
Mesogens, hemiphasmidic 55, 431
–, rod-like 695
Mesomorphic phase transitions 431
Metal carbene complexes 483
Metal clusters 315
Metal colloids 315
Metallocene catalyst, syndiotactic polyolefins 567

Metallocyclobutene 483
Metal-poly(methyl methacrylates) 315
Methacryloyloxyacetic acid 71
Methyl acrylate, carbanionic initiators 77
– –, controlled polymerization 77
Microbiocides 299
Microemulsion polymerization, styrene 193
MMA, radical polymerization 423
Molybdenum olefin metathesis catalyst 625

Networks, chains, elastically active 231
–, conducting 265
–, PEO-based 443
–, polyelectrolyte 373
–, polyetherification of a diepoxide 231
–, semi-interpenetrating 397
–, symmetric triblock copolymers 239
Novolacs 279
– epoxy resins 559
Nylon 6/poly(ethylene glycol) blends 185

Olefins, acceptor-substituted 293
–, cyclic 5
–, –, homopolymerization 625
Oligo-1-vinylnaphthalenes 451
Oligo-*p*-ethylstyrenes 451
Oligostyrenes 451
Organoboron polymers 1
Oxyalkylcinnamate esters 217

$PAMC_{16}S$, comb-like amphiphilic polymer 467
PEO diisocyanate 443
PEO triol 443
PEO-PSt-PEO block polymers 459
PET 499
Phase separation, dynamics 515
Phase transfer catalysis 319
– – –, polymerization 25, 33
Phenol, halogenated 299
–, *meta*-halogenated 279
–, terminating comonomer 33
1-Phenyl-1-sila-cyclopent-3-ene 63
Phenylacetylene 83
N-Phenylmaleimide, asymmetric polymerization 5
Phosgenation reaction, interfacial 583
Phosgene 319
Photoresists 217
Plasma films, manganese acetylacetonate 273
PMMA 515
–, macromonomers, styrene-type 205
–, radical polymerization 423
–, with poly(vinylidene fluoride) 391
PMOMA 257
PMTMA 257
Poly(α,α'-dibromoxylylene) 177
Poly(1-methyl-1-phenyl-1-sila-*cis*-pent-3-ene) 621
Poly(1-methyl-1-phenyl-1-silapentane), synthesis 621
Poly(1-phenyl-1-sila-*cis*-pent-3-ene) 63
Poly(2-acrylamidohexadecylsulfonic acid) $PAMC_{16}S$ 467
Poly(2,5-(3,4-bis(methoxymethyl)furanylene)vinylene)s 343
Poly(2,6-dimethyl-1,4-phenylene oxide) (PPO) 25, 41
Poly(alkylvinylether)s 307
Poly(aryl ether oxadiazoles) 543
Poly(arylidenecycloalkanones) 287
Poly(crown ether)s 153
Poly(di-aryl itaconates), thermal stability 107
Poly(dibenzo-19-crown-6) 153
Poly(dimethyldiallylammonium) chloride 95
Poly(ethylene glycol)/nylon 6 185
Poly(ethyleneterephthalate) (PET) 499
Poly(ketone) 1
Poly(methoxymethyl methacrylate) 257
Poly(methyl methacrylate)s macromonomer 423
–, metal 315
Poly(methylsiloxane)s 169
Poly(methylthiomethyl methacrylate) 257
Poly(*p*-xylylene) fibers, creep resistance 379
Poly(phenylene acetylene) from poly(phenylene vinylene) 177
Poly(phenylene vinylene) 177
Poly(phosphazene), substituted 351
Poly(styrene-co-maleic anhydride) 397
Poly(styrene-*co*-methyl methacrylate) 71
Poly(val-pro-gly-gly) 87
Poly(vinyl acetate) 515
Poly(vinylether)s, pendant mesogenic groups 307
Poly(vinylidene fluoride) 257
– with PS or PMMA 391
Polyacrylonitrile 41
Polyamides, dendritic, solid-phase synthesis 551
–, phase transition 591
–, thermoplastic 17
Polybenzoates, thermotropic 413
Polybibenzoates, oxyethylene units 413
Polycarbonates 319
– oligomers, tetrabromobisphenol-A 583
Polycondensation reaction, A_a-B_bC_c type 225
Polyelectrolyte complexes, membranes 95
– gels, contraction 373
– networks, electroosmotic transport of water 373
Polyesters, thermotropic 413
Polyether, aromatic 9
–, liquid crystalline 695
–, ketones 9
–, networks 443
–, sulfones 9
Polyetherification, diamine-diepoxide curing 231
Polyethylene, chlorinated 385
–, cold-extruded 689
–, linear low-density 405
Polyisobutylene, unperturbed chain dimensions 245
–, vinyl ether terminated 633
– macromonomer, metharyloyl functions 161
Polyisoprenes, photosensitivity of modified natural 217
Polymacromonomers, end-group analysis 205
–, stereoregular 161
Polymer-protected colloidal metal sols 139
Polymer electrolyte 443
Polymer films, uniaxial stretching 491
Polymer networks, initiated polyreactions 231
Polymethyl methacrylate 357
Polymethylsiloxanes 55
–, side-chain liquid crystalline 431
Polyolefins, syndiotactic, metallocene catalyst 567
Polyoxetane, smectic liquid crystalline 439
Polypropylene fibers, drawing/density 507
–, growth transitions in isotactic 101
Polysiloxane macromers, dicarboxylic acid functionalized 521
Polystyrene 357
–, atactic 491
–, linear anionic 397
–, UV absorption spectra 211
–, with poly(vinylidene fluoride) 391
Polythiocarbonates from diphenols 319
Polyurethanes, biodegradable 327
Polyvinyl butyral, modified rheological properties 657
PPO 25
Processing agents, resinous 451
[1.1.1]-Propellanes 293
PS/PMMA/PS-b-PMMA blends, low frequency viscosities 357
PS-cross-P(ScoMA) semi-IPNs 397

PSt/PMAA block polymers 459
PTC polymerization 25, 33
PVC-CPE blends, TSD study 385
PVDF with PMOMA and PMTMA 257
PVF_2 391

Radical polymerization, itaconates 145
– –, PMMA 423
Reissert compounds, polymers 17
Resins, cyanate ester 475
–, rubber manufacturing 451
Ring-opening metathesis polymerization 343
Rod-like mesogens, rigidity 695
Rubber manufacturing, model processing agents 451
– mixtures 451
– products, modified natural 217

SBR networks, stretched 365
Scholl reaction, aromatic polyethers 9
Semiconductors, p-type 273
Semicrystalline polymer blends 391
Sepiolite 391
Silylating agents, solid-phase 575
SMC viscosity build-up, factional design 603
Smectic liquid crystalline polymers 439
Sodium polyacrylate 373
Sound damping materials 397
Spacers, polybibenzoates 413
Spinodal decomposition, blends 515
Star polymers, tri-armed 529
Stereoregular polymacromonomer 161
Styrene derivatives, chain transfer 199
–, diradical polymerization 537
–, microemulsion polymerization 193
p-Styrenesulfonic esters 299
Surface properties, PSt/PMMA and PEO-PSt-PEO 459
Symmetric triblock coplymers 239
Symplexes 95

Terminating comonomer phenol 33
Tetrabromobisphenol-A 279
– polycarbonate oligomers 583
Thermally stimulated discharge currents 385
Thermoplastic polyamine derivatives 17
Thexylborane 1
Thiophosgene 319
Tri-armed star polymers 529
4-[3,4,5-Tri-(alkan-1-yloxy)benzoate]biphenyl groups 431
2,4,6-Tri-*tert*-butylphenol 33
Triblock copolymers, symmetric 239
2,4,6-Trichlorophenol 299
Trifluoroacetic anhydride 1
2,4,6-Trimethylphenol 25
Trimethylsilylphenylacetylene 483

Ultrasonic irradiation, diallyl terephthalate/dist. H_2O 571
Uniaxial stretching, atactic polystyrene 491
– –, PET 499
UV effect on polymers 211

Vinyl ethers, mesogenic 115, 123, 131
– –, –, cationic bulk polmerization 649
– –, –, photoinitiated cation bulk polymerization 641
Vinylenes 343
Vinylidene compounds, aromatically substituted 107
Virial coefficient, second, water-protein-neutral polymer 709

Water-protein-neutral polymer systems, phase equilibria 709
Water-soluble polymers 459, 467

XPS 459